

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A - IDENTIFYING INFORMATION

Facility Name: Dena Vice	Type of Facility: Day ☒ Night ☐ Family ☐ Group ☒ Center ☐ S.A.P. ☐	Date of Visit: <u>3</u> / <u>12</u> / <u>24</u> month day year
Facility Address: 101 Kingsley Court Alabaster, AL 35007	Licensee: Dena Vice	Telephone #: (205) 621-4896
Ages: 6wks to 12yrs / <u>X</u> to <u>X</u> day night	Director (if applicable): NA	Capacity: <u>12</u> / <u>X</u> day night 6 under 12 mo

SECTION B - DEFICIENCY INFORMATION

Column 1 Performance Standard Deficiency <i>*HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Column 2 Date Corrected by Licensee
1. Two children do not have a valid immunization certificate on file. See pg 13 of the evaluation.	1.

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 3.26.24, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must meet Performance Standards applicable to that facility at all times. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Signature of Facility Representative Dena Vice Date 3/12/24

Signature of DHR Licensing Representative Sonye Long Date 3.12.24

COPIES TO: Licensee, mailed 3/15/24