

ALABAMA DEPARTMENT OF HUMAN RESOURCES
 CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A - IDENTIFYING INFORMATION

Facility Name: Providence Academy	Type of Facility: Family <input type="checkbox"/> Day <input checked="" type="checkbox"/> Night <input type="checkbox"/>	Group <input type="checkbox"/> Center <input checked="" type="checkbox"/> S.A.P. <input type="checkbox"/>	Date of Visit: 1 / 30 / 24 month day year
Facility Address: 1000 University Blvd N. Mobile, AL 36688	Licensee: Chandra Hyles	Telephone #: 623 338-9318	
Ages: 8wks to 5yrs x to x day night	Director (if applicable): Chandra Hyles	Capacity: 50 / x day night	

SECTION B - DEFICIENCY INFORMATION

Column 1	Performance Standard Deficiency *HAZARDS MUST BE CORRECTED IMMEDIATELY*	Column 2 Date Corrected by Licensee
	10 Staff files are incomplete see pg. 18 of evaluation.	C.K. 1-31-24

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 2/20/24, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must meet Performance Standards applicable to that facility at all times. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Signature of Facility Representative Chandra Hyles Date 1-30-24
 Signature of DHR Licensing Representative [Signature] Date 1-30-24

COPIES TO: Director