

## ALABAMA DEPARTMENT OF HUMAN RESOURCES CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

### SECTION A - IDENTIFYING INFORMATION

Facility Name: <u>Jessica Taylor</u>	Type of Facility: Family <input type="checkbox"/> Day <input checked="" type="checkbox"/> Group <input checked="" type="checkbox"/> Night <input type="checkbox"/> Center <input type="checkbox"/> S.A.P. <input type="checkbox"/>	Date of Visit: <u>12/12/24</u> month day year
Facility Address: <u>1008 15th Ave SW Decatur, AL 35601</u>	Licensee: <u>Jessica Taylor</u>	Telephone #: <u>(256) 345-2425</u>
Ages: <u>6 wks</u> to <u>12 yrs</u> <input checked="" type="checkbox"/> to <input checked="" type="checkbox"/> day night	Director (if applicable):	Capacity: <u>12</u> / <input checked="" type="checkbox"/> day / night

### SECTION B - DEFICIENCY INFORMATION

Column 1	Performance Standard Deficiency <i>*HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Column 2 Date Corrected by Licensee
	There are no deficiencies observed in today's evaluation.	

**INSTRUCTIONS TO LICENSEE:** Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before NA, as verification that deficiencies have been corrected.

**NOTICE:** Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must meet Performance Standards applicable to that facility at all times. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Signature of Facility Representative: Jessica Taylor Date: 12/12/2024

Signature of DHR Licensing Representative: [Signature] Date: 12/12/24

COPIES TO: Premier