

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A - IDENTIFYING INFORMATION

Facility Name: Bubbling Babies	Type of Facility: Family ☐ Day ☒ Night ☐ Group ☐ Center ☒ S.A.P. ☐	Date of Visit: 8 / 20 / 24 month day year
Facility Address: 1146 Somers Enterprise, AL 36330	Licensee: Bubbling Babies	Telephone #: (334) 347-7722
Ages: 3/2 70 to 18 yrs X to X day night	Director (if applicable): Victoria Watson	Capacity: 70 / X day night

SECTION B - DEFICIENCY INFORMATION

Column 1	Performance Standard Deficiency <i>*HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Column 2 Date Corrected by Licensee
①	There are NO new deficiencies on this visit.	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before X, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must meet Performance Standards applicable to that facility at all times. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Signature of Facility Representative Victoria Watson Date 8/20/24

Signature of DHR Licensing Representative Mammm Date 8-20-24

COPIES TO: Victoria Watson
Director

Page 1 of 1