

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A - IDENTIFYING INFORMATION

Facility Name: Geneva Heard	Type of Facility: Family ☐ Day ☒ Night ☒ Group ☒ Center ☐ S.A.P. ☐	Date of Visit: 04 / 17 / 2024 month day year
Facility Address: 756 Fulton Street Dadeville, AL 36853	Licensee: Geneva Heard	Telephone #: (256) 825-8976
Ages: 6 wks to 13 yrs / 6 wks to 13 yrs day night	Director (if applicable): N/A	Capacity: 12 / 12 day night

SECTION B - DEFICIENCY INFORMATION

Column 1 Performance Standard Deficiency *HAZARDS MUST BE CORRECTED IMMEDIATELY*	Column 2 Date Corrected by Licensee
No Deficiencies observed at the time of the visit.	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before N/A, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must meet Performance Standards applicable to that facility at all times. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Signature of Facility Representative Geneva Heard Date 04/17/2024

Signature of DHR Licensing Representative Rubin Bussie Date 04/17/2024

COPIES TO: licensee

Page 1 of 1

Copy left in home 04/17/2024
 RBB