

**ALABAMA DEPARTMENT OF HUMAN RESOURCES  
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

**SECTION A - IDENTIFYING INFORMATION**

Facility Name: <b>United Academy</b>	Type of Facility: Family <input type="checkbox"/> Day <input checked="" type="checkbox"/> Night <input type="checkbox"/>	Group <input type="checkbox"/> Center <input type="checkbox"/> S.A.P. <input type="checkbox"/>	Date of Visit: <b>03 / 04 / 24</b> month day year
Facility Address: <b>6215 Overlook Rd. Mobile, AL 36618</b>	Licensee: <b>United Academy</b>	Telephone #: <b>(251) 414-7703</b>	
Ages: <b>Lowks to 12yrs X to X</b> day night	Director (if applicable): <b>Melody Hall</b>	Capacity: <b>60 / X</b> day / night	

**SECTION B - DEFICIENCY INFORMATION**

Column 1	Performance Standard Deficiency <i>*HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Column 2 Date Corrected by Licensee
①	There were 38 children signed in, but there were 45 children present.	
②	In the one to two year old room there are eleven children with only one staff.	
# ③	There were nine infants with one teacher.	*met
④	In the one-to two year old room the lid was missing	

**INSTRUCTIONS TO LICENSEE:** Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 3-18-24, as verification that deficiencies have been corrected.

**NOTICE:** Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must meet Performance Standards applicable to that facility at all times. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Signature of Facility Representative Melody Hall Date 3/14/24  
Signature of DHR Licensing Representative Darlene Turner Date 3-4-24

COPIES TO: director

ALABAMA DEPARTMENT OF HUMAN RESOURCES  
 CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT (Additional Page)

Facility Name: United Academy Date of Visit: 03-04-24

SECTION B - DEFICIENCY INFORMATION (Continued)

Column 1	Performance Standard Deficiency	Column 2
	<i>*HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
	from the trashcan.	
	⑤ In the six weeks to twelve month old	* <del>UNST</del>
	classroom there was Lysol, Fabulosa and	
	batteries not under lock and key	
	⑥ Staff records are incomplete, missing	
	training, verification of education and application	
	back page.	
	⑦ Capacity reduced to to not having enough	<del>UNST</del>
	staff, size of the playground, and designated	
	areas not set up for <del>e</del> exclusive	
	use.	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 3-18-24, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must meet Performance Standards applicable to that facility at all times. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Signature of Facility Representative Melody Skel Date 3/4/24  
 Signature of DHR Licensing Representative Takila Turner Date 3-4-24

COPIES TO: director