

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A - IDENTIFYING INFORMATION

Facility Name: Riverhill School	Type of Facility: Day ☒ Night ☐ Family ☐ Group ☐ Center ☒ S.A.P. ☐	Date of Visit: 11 / 8 / 23 month day year
Facility Address: 2710 Darby Pr. Florence, AL 35630	Licensee: Riverhill School	Telephone #: (256) 764-8200
Ages: 2yr to 5yr / X to X day night	Director (if applicable): Daye Winsett	Capacity: 84 / X day night

SECTION B - DEFICIENCY INFORMATION

Column 1	Performance Standard Deficiency *HAZARDS MUST BE CORRECTED IMMEDIATELY*	Column 2 Date Corrected by Licensee
	Some staff records are incomplete.	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before Nov. 22, 2023, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must meet Performance Standards applicable to that facility at all times. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Signature of Facility Representative Mary Jane Jander Date 11/8/23
 Signature of DHR Licensing Representative Daye Winsett Date 11/8/23

COPIES TO: Daye Winsett