

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT (Additional Page)**

Facility Name: Playland Date of Visit: 8-21-21

SECTION B – DEFICIENCY INFORMATION (Continued)

Column 1	Performance Standard Deficiency <i>*HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Column 2 Date Corrected by Licensee
Playland 1836 West Main Street Dothan AL 36301	Day/night/center Sandra Baker	334 699 8630 04/20
<p align="center">JD</p> <p>1) No deficiencies observed at the time of this visit.</p>		

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must meet Performance Standards applicable to that facility at all times. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Signature of Facility Representative Sandra Baker Date 8/21/24

Signature of DHR Licensing Representative Jay Dalton Date 8/21/24

COPIES TO: Sandra Baker