

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A - IDENTIFYING INFORMATION

Facility Name: Mary Steeley	Type of Facility: Family ☐ Day ☒ Night ☐ Group ☒ Center ☐ S.A.P. ☐	Date of Visit: 5 / 21 / 24 month day year
Facility Address: 385 Wann Cir Pisgah, AL 35765	Licensee: Mary Steeley	Telephone #: (256) 451-3573
Ages: 18 mos to 6 yrs / X to X day night	Director (if applicable):	Capacity: 12 / X day night

SECTION B - DEFICIENCY INFORMATION

Column 1	Performance Standard Deficiency *HAZARDS MUST BE CORRECTED IMMEDIATELY*	Column 2 Date Corrected by Licensee
	There are no deficiencies observed in today's visit. Therefore it is recommended that the above licensee Mary Steeley, be granted renewal from 5/3/24 through 5/3/26 for 12 number of children, from 7:00 AM - 4:30 PM.	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before NA, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must meet Performance Standards applicable to that facility at all times. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Signature of Facility Representative Mary Steeley Date 5/21/24

Signature of DHR Licensing Representative R. McJannet Date 5/21/24

COPIES TO: Proctor

Page 1 of 1