

|                                                                                                                                 |                                                                                                |                                                                                                                                                    |                                                      |
|---------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------|
| Facility Name:<br><b>Jeanese Rogers</b>                                                                                         | Type of Facility:<br>Day <input checked="" type="checkbox"/><br>Night <input type="checkbox"/> | Family <input type="checkbox"/><br>Group <input checked="" type="checkbox"/><br>Center <input type="checkbox"/><br>S.A.P. <input type="checkbox"/> | Date of Visit:<br><b>2, 13, 24</b><br>month day year |
| Facility Address:<br><b>413 Co Rd 210<br/>Sylvania, AL 35988</b>                                                                | Licensee:<br><b>Jeanese Rogers</b>                                                             | Telephone #:<br><b>256-638-6561</b>                                                                                                                |                                                      |
| Ages:<br><b>6 wks</b> to <b>3 yrs</b> , <input checked="" type="checkbox"/> to <input checked="" type="checkbox"/><br>day night | Director (if applicable):                                                                      | Capacity:<br><b>12</b> / <b>X</b><br>day / night                                                                                                   |                                                      |

| Column 1                                             | Performance Standard Deficiency<br>*HAZARDS MUST BE CORRECTED IMMEDIATELY* | Column 2<br>Date Corrected by<br>Licensee |
|------------------------------------------------------|----------------------------------------------------------------------------|-------------------------------------------|
| There are no deficiencies observed in today's visit. |                                                                            |                                           |
|                                                      |                                                                            |                                           |
|                                                      |                                                                            |                                           |
|                                                      |                                                                            |                                           |
|                                                      |                                                                            |                                           |
|                                                      |                                                                            |                                           |

Page 1 of 1