

Burton Head Start

4801 West Maryland Avenue
Glendale, AZ

3 Inspection Visits Since 2024 - 3 Findings

Most recent inspection: Jan 6, 2026

● 3 Important

Across 3 inspections since 2024, the issues cited most often were The Following Deficiencies Were Observed During the Compliance Inspection Conducted on January 6, 2026, and Are Subject to Changes Pending Programmatic review.

3 of 3 Fingerprint Clearance Cards Reviewed Were Verified Through the DPS Website During the inspection.

The Emergency Disaster Contact Form Was Completed at the Time of the Inspection.

Please Complete the Plan of Corrections on the Licensing Portal Within Ten Days of Receiving This Statement of Deficiencies. (3). None of the 3 findings were critical.

Inspection Visits

Jan 6, 2026 1 Finding ● 1 Important

● **The Following Deficiencies Were Observed During the Compliance Inspection Conducted on January 6, 2026, and Are Subject to Changes Pending Programmatic review.**

3 of 3 Fingerprint Clearance Cards Reviewed Were Verified Through the DPS Website During the inspection.

The Emergency Disaster Contact Form Was Completed at the Time of the Inspection.

Please Complete the Plan of Corrections on the Licensing Portal Within Ten Days of Receiving This Statement of Deficiencies.

Compliance (Annual)

Jan 7, 2025 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Arizona Department of Health Services, Bureau of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Arizona Department of Health Services, Bureau of Child Care Licensing.

- **No Deficiencies Were Found at the Time of the Compliance Inspection Conducted on 1/7/2025.**

Compliance Officer #1: Chloe-James Rossi

Compliance Officer #2: Tricia Tartaglio

The Following Was Discussed, but Is Not Limited To:

- *Ensure the Warning Sticker Is Removed From the Diaper Changing surface;**
- *Ensure the Diaper Changing Table Is Within Reach of the Diaper Changing Sink;**
- *Ensure the Wooden Tree Cube Is Maintained Free From Hazards;**
- *Ensure Outdoor Equipment Is Maintained in a Cle**

Compliance (Annual)

Jan 12, 2024 1 Finding ● 1 Important

- **The Following Deficiencies Were Observed During the Compliance Inspection Conducted on January 12, 2024, and Are Subject to Changes Pending Programmatic review.**

Compliance Officer: Stacy Marchelli

A Complete Inspection Was Conducted at This time.

Two Fingerprint Clearance Cards Were Verified Through the DPS Website During the inspection.

Please Complete the Plan of Corrections on the Licensing Portal Within Ten Days of Receiving This Statement of Deficiencies.

A Link to the Empowe

Compliance (Annual)

About this report

Childery generates this report from public inspection records published by the Arizona Department of Health Services, Bureau of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Arizona Department of Health Services, Bureau of Child Care Licensing.