

FIRST BAPTIST PRESCHOOL

81 N G ST
PORTERVILLE, CA

2 Inspection Visits Since 2023 · 3 Findings

Most recent inspection: Nov 8, 2023

3 Important

Across 2 inspections since 2023, the issues cited most often were Based on Record Review, the Licensee Did Not Comply with the Section Cited Above in Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 11/21/2023 (1), Based on Record Review, the Licensee Did Not Comply with the Section Cited Above in Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 11/21/2023 (1), and That Will Address Measures to Get All the Items Corrected to Fresno South Community Care Licensing by 02/28/2023 8 9 10 11 12 13 14 During Today's Inspection, LPAs Observed the Following: Mold Under the Classroom Sinks, Rusting of All Playground Equipment, Damaged Ceiling in the 2 Year Old Classroom, Electrical Outlets Broken And/or Not Flushed to the Walls in the Classrooms. 8 9 10 11 12 13 14 1 2 3 4 5 6 7 1 2 3 4 5 6 7 1 2 3 4 5 6 7 1 2 3 4 5 6 7 Failure to Correct the Cited Deficiency(ies), on or Before the Plan of Correction (POC) Due Date, May Result in a Civil Penalty Assessment. (1). None of the 3 findings were critical.

Inspection Visits

Nov 8, 2023 2 Findings 2 Important

- **Based on Record Review, the Licensee Did Not Comply with the Section Cited Above in Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 11/21/2023**
CCR 101215.1(h)(1)(A) Three of the 15 units required in (h)(1) above shall be in administration or staff relations. This requirement is not met as evidenced by:
- **Based on Record Review, the Licensee Did Not Comply with the Section Cited Above in Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 11/21/2023**
HSC 1596.8662(b)(1) Administration of Child Day Care Licensing (1) On or before March 30, 2018, a person who, on January 1, 2018, is a licensed child day care provider,...

Feb 7, 2023 1 Finding 1 Important

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.

- **That Will Address Measures to Get All the Items Corrected to Fresno South Community Care Licensing by 02/28/2023 8 9 10 11 12 13 14 During Today's Inspection, LPAs Observed the Following: Mold Under the Classroom Sinks, Rusting of All Playground Equipment, Damaged Ceiling in the 2 Year Old Classroom, Electrical Outlets Broken And/or Not Flushed to the Walls in the Classrooms. 8 9 10 11 12 13 14 1 2 3 4 5 6 7 1 2 3 4 5 6 7 1 2 3 4 5 6 7 Failure to Correct the Cited Deficiency(ies), on or Before the Plan of Correction (POC) Due Date, May Result in a Civil Penalty Assessment.**

CCR 101238(a) 1 2 3 4 5 6 7 (a) The child care center shall be clean, safe, sanitary and in good repair at all times to ensure the safety and well-being of children, employees and...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.