

MAAC GOSNELL

139 GOSNELL WAY
SAN MARCOS, CA

2 Inspection Visits Since 2022 · 2 Findings

Most recent inspection: May 25, 2023

● 2 Important

Across 2 inspections since 2022, the issues cited most often were (POC) Due Date, May Result in a Civil Penalty Assessment. (1) and (POC) Due Date, May Result in a Civil Penalty Assessment. (1). None of the 2 findings were critical.

Inspection Visits

May 25, 2023 1 Finding ● 1 Important

● **(POC) Due Date, May Result in a Civil Penalty Assessment.**

CCR 101700.3(b)(2) 1 2 3 4 5 6 7 Written Directives: Licensees shall maintain a lead value at or below the Action Level of 5 ppb in all outlets subject to the testing requirements...

Aug 25, 2022 1 Finding ● 1 Important

● **(POC) Due Date, May Result in a Civil Penalty Assessment.**

CCR 101237(a) 1 2 3 4 5 6 7 101237 Alterations to Existing Buildings or New Facilities: (a) Prior to construction or alterations, the licensee shall notify the Department of the...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.