

LITTLE LIGHTS PRESCHOOL

1660 ARBOR WAY
TURLOCK, CA

2 Inspection Visits Since 2023 · 5 Findings

Most recent inspection: Aug 19, 2024

● 5 Important

Across 2 inspections since 2023, the issues cited most often were Cited rule (1), (POC) Due Date, May Result in a Civil Penalty Assessment. (1), and (POC) Due Date, May Result in a Civil Penalty Assessment. (1). None of the 5 findings were critical.

Inspection Visits

Aug 19, 2024 3 Findings ● 3 Important

● **(POC) Due Date, May Result in a Civil Penalty Assessment.**

CCR 101216.3(a)(1) 1 2 3 4 5 6 7 Teacher-Child Ratio- (a) There shall be a ratio of one teacher visually observing and supervising no more than 12 children in attendance, except...

● **Cited rule**

CCR 101226.3(a) 1 2 3 4 5 6 7 Observation of the Child; The behavior and health of the children shall be continually observed throughout the period of attendance. This requirement...

● **(POC) Due Date, May Result in a Civil Penalty Assessment.**

CCR 101229(a)(1) 1 2 3 4 5 6 7 Care and Supervision. No child(ren) shall be left without the supervision, including visual observation, of a teacher at any time... LPA learned...

Apr 5, 2023 2 Findings ● 2 Important

● **Based on Observation. During File Review, LPA Observed Two Staff Files That Did Not Have Documentation of Required Immunizations. This Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 05/05/2023**

HSC 1596.7995(a)(1) General Provisions and Definitions (1) Commencing September 1, 2016, a person shall not be employed or volunteer at a day care center if he or she has not been...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.

- **Based on Observation. Director Stated That Facility Has Not Gotten It's Drinking Fountains Tested for Lead. LPA Observed One Drinking Fountain in Each of the Three Classrooms. Director Stated Children Use the Drinking Fountains in Each of the Three Classrooms to Fill Their Water Bottles. This Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 05/05/2023**

HSC 1597.16(a)(1) Lead Testing (1) A licensed child day care center, as defined in Section 1596.76, that is located in a building that was constructed before January 1, 2010,...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.