

## BURSCH STATE PRESCHOOL

2505 W. 156 STREET  
COMPTON, CA

### 1 Inspection Visit Since 2026 · 1 Finding

Most recent inspection: Apr 28, 2026

● 1 Important

Across 1 inspection since 2026, the issues cited most often were Based on Record Review, the Licensee Did Not Comply with the Section Cited Above in Facility Has Not Conducted Required Lead Testing, Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 05/12/2026 (1). The single finding was not critical.

### Inspection Visits

**Apr 28, 2026** 1 Finding ● 1 Important

- **Based on Record Review, the Licensee Did Not Comply with the Section Cited Above in Facility Has Not Conducted Required Lead Testing, Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 05/12/2026**

HSC 1597.16(a)(1) Lead Testing (1) A licensed child day care center, as defined in Section 1596.76, that is located in a building that was constructed before January 1, 2010,...

#### About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.