

FAMILY CAMPUS PRESCHOOL

10540 CHAPMAN AVENUE
GARDEN GROVE, CA

1 Inspection Visit Since 2022 · 1 Finding

Most recent inspection: Oct 26, 2022

1 Important

Across 1 inspection since 2022, the issues cited most often were Date. 8 9 10 11 12 13 14 Lab Report Analysis Water From Outlet F(6.0 Ppb) Taken on 09/10/2022 Indicated Levels of Lead in Exceedance. This Poses a Potential Risk to the Health, Safety and Personal Rights of Children in Care. 8 9 10 11 12 13 14 HSC 1 2 3 4 5 6 7 1 2 3 4 5 6 7 1 2 3 4 5 6 7 1 2 3 4 5 6 7 Failure to Correct the Cited Deficiency(ies), on or Before the Plan of Correction (POC) Due Date, May Result in a Civil Penalty Assessment. (1). The single finding was not critical.

Inspection Visits

Oct 26, 2022 1 Finding 1 Important

- **Date. 8 9 10 11 12 13 14 Lab Report Analysis Water From Outlet F(6.0 Ppb) Taken on 09/10/2022 Indicated Levels of Lead in Exceedance. This Poses a Potential Risk to the Health, Safety and Personal Rights of Children in Care. 8 9 10 11 12 13 14 HSC 1 2 3 4 5 6 7 1 2 3 4 5 6 7 1 2 3 4 5 6 7 1 2 3 4 5 6 7 Failure to Correct the Cited Deficiency(ies), on or Before the Plan of Correction (POC) Due Date, May Result in a Civil Penalty Assessment.**

101700.3(b)(1) 1 2 3 4 5 6 7 101700.3 California Lead Action Level at Child Care Centers (b) Testing results...comparing to the Action Level. (1) A result with values of 5.5 part...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.