

## JEFFERSON STATE PRESCHOOL

2508 E. 133RD STREET  
COMPTON, CA

### 2 Inspection Visits Since 2025 · 2 Findings

Most recent inspection: May 11, 2026

● 2 Important

Across 2 inspections since 2025, the issues cited most often were Based on Record Review, the Licensee Did Not Comply with the Section Cited Above in Facility Has Failed to Conduct Required Lead Testing After 1/1/20 Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 05/25/2026 (2). None of the 2 findings were critical.

### Inspection Visits

**May 11, 2026** 1 Finding ● 1 Important

- **Based on Record Review, the Licensee Did Not Comply with the Section Cited Above in Facility Has Failed to Conduct Required Lead Testing After 1/1/20 Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 05/25/2026**

HSC 1597.16(a)(1) Lead Testing (1) A licensed child day care center, as defined in Section 1596.76, that is located in a building that was constructed before January 1, 2010,...

**Apr 17, 2025** 1 Finding ● 1 Important

- **Based on Record Review, the Licensee Did Not Comply with the Section Cited Above in That Facility Has Not Conducted Required Lead Testing Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 05/01/2025**

HSC 1597.16(a)(1) Lead Testing (1) A licensed child day care center, as defined in Section 1596.76, that is located in a building that was constructed before January 1, 2010,...

#### About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.