

JOURNEY OF FAITH

1243 ARTESIA BOULEVARD
MANHATTAN BEACH, CA

1 Inspection Visit Since 2023 · 1 Finding

Most recent inspection: Jul 13, 2023

● 1 Important

Across 1 inspection since 2023, the issues cited most often were Regarding Remediation of Outlets on or Before 8/10/2023. 8 9 10 11 12 13 14 That Levels of Lead Were Beyond Allowable Amount Deemed by the State of California and if Not Corrected This Poses a Potential Health and Safety or Personal Rights Risk to Children in Care. 8 9 10 11 12 13 14 1 2 3 4 5 6 7 1 2 3 4 5 6 7 1 2 3 4 5 6 7 1 2 3 4 5 6 7 Failure to Correct the Cited Deficiency(ies), on or Before the Plan of Correction (POC) Due Date, May Result in a Civil Penalty Assessment. (1). The single finding was not critical.

Inspection Visits

Jul 13, 2023 1 Finding ● 1 Important

- Regarding Remediation of Outlets on or Before 8/10/2023. 8 9 10 11 12 13 14 That Levels of Lead Were Beyond Allowable Amount Deemed by the State of California and if Not Corrected This Poses a Potential Health and Safety or Personal Rights Risk to Children in Care. 8 9 10 11 12 13 14 1 2 3 4 5 6 7 1 2 3 4 5 6 7 1 2 3 4 5 6 7 Failure to Correct the Cited Deficiency(ies), on or Before the Plan of Correction (POC) Due Date, May Result in a Civil Penalty Assessment.

101700.3(b)(1) 1 2 3 4 5 6 7 101700.3(b)(1) California Lead Action at Child Care Centers (b)Testing results with fractional ppb readings....(1) A result of 5.5ppb or greater shall...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.