

ST. VICTOR PRESCHOOL

3150 SIERRA ROAD
SAN JOSE, CA

1 Inspection Visit Since 2023 · 1 Finding

Most recent inspection: Apr 26, 2023

● 1 Important

Across 1 inspection since 2023, the issues cited most often were Based on Observation, the Ground Area Underneath the Slides Has Little to No Cushioned Material to Absorb Falls. The Licensee Did Not Comply with the Section Cited Above which Poses/posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 05/05/2023 (1). The single finding was not critical.

Inspection Visits

Apr 26, 2023 1 Finding ● 1 Important

- **Based on Observation, the Ground Area Underneath the Slides Has Little to No Cushioned Material to Absorb Falls. The Licensee Did Not Comply with the Section Cited Above which Poses/posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 05/05/2023**

CCR 101238.2(e) Outdoor Activity Space (e) As a condition of licensure, the areas around and under high climbing equipment, swings, slides and other similar equipment shall be...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.