

CADENCE EDUCATION LLC - SKYLAND

4110 SKYLAND COURT
ANTELOPE, CA

3 Inspection Visits Since 2023 · 4 Findings

Most recent inspection: Oct 22, 2025

● 4 Important

Across 3 inspections since 2023, the issues cited most often were (POC) Due Date, May Result in a Civil Penalty Assessment. (1), Based on Record Review, the Licensee Did Not Comply with the Section Cited Above in 2 Out of 3 Files Reviewed, Which Poses/posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 07/12/2024 (1), and Based on Observation, the Licensee Did Not Comply with the Section Cited Above Due to Having a Basinet (Taco Sleeper) in the Room Which Is a Recalled Item, Which Poses a Potential Health and Safety Risk to Persons in Care. POC Due Date: 07/21/2023 (1). None of the 4 findings were critical.

Inspection Visits

Oct 22, 2025 1 Finding ● 1 Important

● (POC) Due Date, May Result in a Civil Penalty Assessment.

CCR 101223(a)(3) 1 2 3 4 5 6 7 To be free from corporal or unusual punishment,... humiliation, intimidation, ridicule,... threat, mental abuse or other actions of a punitive...

Jun 11, 2024 1 Finding ● 1 Important

● Based on Record Review, the Licensee Did Not Comply with the Section Cited Above in 2 Out of 3 Files Reviewed, Which Poses/posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 07/12/2024

CCR 101220(a) Child's Medical Assessments (a) Prior to, or within 30 calendar days following the enrollment of a child, the licensee shall obtain a written medical assessment of...

Jul 12, 2023 2 Findings ● 2 Important

● Based on Observation, the Licensee Did Not Comply with the Section Cited Above Due to Having a Basinet (Taco Sleeper) in the Room Which Is a Recalled Item, Which Poses a Potential Health and Safety Risk to Persons in Care. POC Due Date: 07/21/2023

CCR 101239(r) Fixtures, Furniture, Equipment and Supplies (r) Fixtures, furniture, and equipment that have been banned or recalled by the United States Consumer Product Safety...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.

- **Based on Observation, the Licensee Did Not Comply with the Section Cited Above Due to Not Having the Two Changing Tables in Arm's Reach of the Sink, Which Poses a Potential Health and Safety Risk to Persons in Care. POC Due**

CCR 101439(h)(4) Infant Care Center Fixtures, Furniture, Equipment and Supplies (h) Infant changing tables shall: (4) While in use, be placed within arm's reach of a sink. This...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.