

KENTUCKY FLAT COMMUNITY PRESCHOOL

13281 NEW TOWN ROAD
NEVADA CITY, CA

1 Inspection Visit Since 2024 · 1 Finding

Most recent inspection: May 31, 2024

● 1 Important

Across 1 inspection since 2024, the issues cited most often were Based on Observation, Interview, and Record Review, the Licensee Did Not Comply with the Section Cited Above When, Upon LPA Arrival at 9:35am, Director Norris Was the Only Staff Present at the Facility and Did Not Have an Up-to-date CPR/First Aid Certificate. POC Due Date: 06/07/2024 (1). The single finding was not critical.

Inspection Visits

May 31, 2024 1 Finding ● 1 Important

- **Based on Observation, Interview, and Record Review, the Licensee Did Not Comply with the Section Cited Above When, Upon LPA Arrival at 9:35am, Director Norris Was the Only Staff Present at the Facility and Did Not Have an Up-to-date CPR/First Aid Certificate. POC Due Date: 06/07/2024**

CCR 101216(f) Personnel Requirements (f) At least one staff member who is trained in pediatric cardiopulmonary resuscitation and pediatric first aid pursuant to Health and Safety...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.