

KIDS BY THE SEA

920 BALOUR DRIVE
ENCINITAS, CA

2 Inspection Visits Since 2022 · 10 Findings

Most recent inspection: Apr 16, 2025

● 10 Important

Across 2 inspections since 2022, the issues cited most often were Based on Observation, the Licensee Did Not Comply with the Section Cited Above. LPA Observed That There Is a Man-made Stream in the Backyard That Is Accessible to Children. Pockets of Water That Are About an Inch Deep Were Observed. This Deficiency Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 04/23/2025 (2), Based on Interview and Record Review, the Licensee Did Not Comply with the Section Cited Above. The Facility Has Not Conducted a Fire Drill Since October 1, 2023. This Deficiency Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 04/23/2025 (1), and Based on Observation, the Licensee Did Not Comply with the Section Cited Above. LPA Observed Several Gaps in the Outdoor Activity Space (Rubber Panels) That Poses a Tripping Hazzard. This Deficiency Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 04/23/2025 (1). None of the 10 findings were critical.

Inspection Visits

Apr 16, 2025 9 Findings ● 9 Important

- **Based on Observation, the Licensee Did Not Comply with the Section Cited Above. LPA Observed Site Director's 7 Month Old Child on Site (In the Office). Also Observed Was a Baby Walker. Ms. Arechiga Stated That Her Child Stays in the Office with Her and That the Walker Is Also for Her Child's Use. This Deficiency Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 04/17/2025**

CCR 101161(a) Limitations on Capacity and Ambulatory Status (a) A licensee shall not operate a child care center beyond the conditions and limitations specified on the license,...

- **Based on Interview and Record Review, the Licensee Did Not Comply with the Section Cited Above. The Facility Has Not Conducted a Fire Drill Since October 1, 2023. This Deficiency Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 04/23/2025**

CCR 101174(d) Disaster and Mass Casualty Plan (d) Disaster drills shall be conducted at least every six months. This requirement is not met as evidenced by:

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.

- **Based on Record Review, the Licensee Did Not Comply with the Section Cited Above. Staff N.T. Fingerprint Clearance Is Not Associated to the Facility. This Deficiency Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 04/16/2025**
CCR 101217(a)(14) Personnel Records (a) The licensee shall ensure that personnel records are maintained on the licensee, administrator and each employee. Each personnel record...
- **Based on Record Review, the Licensee Did Not Comply with the Section Cited Above. LPA Observed That Child #2 Did Not Have a Copy of Medical Assessment on File. This Deficiency Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 04/23/2025**
CCR 101220(a) Child's Medical Assessments (a) Prior to, or within 30 calendar days following the enrollment of a child, the licensee shall obtain a written medical assessment of...
- **Based on Observation, the Licensee Did Not Comply with the Section Cited Above. LPA Observed That Child #1's Epi-pen Has Expired. This Deficiency Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 04/23/2025**
CCR 101226(e)(2) Health-Related Services (2) All prescription and nonprescription medications shall be maintained with the child's name and shall be dated. This requirement is not...
- **Based on Observation, the Licensee Did Not Comply with the Section Cited Above. LPA Observed Several Gaps in the Outdoor Activity Space (Rubber Panels) That Poses a Tripping Hazzard. This Deficiency Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 04/23/2025**
CCR 101238.2(d)(2) Outdoor Activity Space (d) The surface of the outdoor activity space shall be maintained: (2) Free of hazards including, but not limited to, holes, broken glass...
- **Based on Observation, the Licensee Did Not Comply with the Section Cited Above. LPA Observed That There Is a Man-made Stream in the Backyard That Is Accessible to Children. Pockets of Water That Are About an Inch Deep Were Observed. This Deficiency Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 04/23/2025**
CCR 101238(e) Buildings and Grounds (e) All licensees shall ensure the inaccessibility of pools, including swimming pools (in-ground and above-ground), fixed-in-place wading...
- **Based on Record Review, the Licensee Did Not Comply with the Section Cited Above. Staff N.T. Is Missing Proof of Being Immunized Against Measles on File. This Deficiency Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 04/23/2025**
HSC 1596.7995(a)(1) General Provisions and Definitions (1) Commencing September 1, 2016, a person shall not be employed or volunteer at a day care center if he or she has not been...
- **Based on Record Review, the Licensee Did Not Comply with the Section Cited Above. Staff Silvia Tovar and Abigail Arechiga Are Missing Proof of Current Mandated Reporter Training Certificate on File. This Deficiency Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 04/23/2025**
HSC 1596.8662(b)(1) Administration of Child Day Care Licensing (1) On or before March 30, 2018, a person who, on January 1, 2018, is a licensed child day care provider,...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.

Dec 1, 2022 1 Finding ● 1 Important

- **Based on Observation, the Facility Did Not Comply with the Section Cited Above in That a Water Feature Was Installed That Has Some Pockets of Water That Are Over 1 Inch Deep, Creating a Potential Hazard to Children in Care. POC Due Date: 12/09/2022**

CCR 101238(e) Buildings and Grounds (e) All licensees shall ensure the inaccessibility of pools, including swimming pools (in-ground and above-ground), fixed-in-place wading...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.