

ALICIA REYES PRESCHOOL

123 S N S ST
MERCED, CA

1 Inspection Visit Since 2026 · 1 Finding

Most recent inspection: May 20, 2026

● 1 Important

Across 1 inspection since 2026, the issues cited most often were (POC) Due Date, May Result in a Civil Penalty Assessment. Kari McWilliams NAME OF LICENSING PROGRAM MANAGER: Yesenia Fierro NAME OF LICENSING PROGRAM ANALYST: LICENSING PROGRAM ANALYST SIGNATURE: DATE: 05/20/2026 I Acknowledge Receipt of This Form and Understand My Appeal Rights as Explained and Received. FACILITY REPRESENTATIVE SIGNATURE: DATE: 05/20/2026 LIC809 (FAS) - (06/04) Page: 3 of 3 (1). The single finding was not critical.

Inspection Visits

May 20, 2026 1 Finding ● 1 Important

- (POC) Due Date, May Result in a Civil Penalty Assessment. Kari McWilliams NAME OF LICENSING PROGRAM MANAGER: Yesenia Fierro NAME OF LICENSING PROGRAM ANALYST: LICENSING PROGRAM ANALYST SIGNATURE: DATE: 05/20/2026 I Acknowledge Receipt of This Form and Understand My Appeal Rights as Explained and Received. FACILITY REPRESENTATIVE SIGNATURE: DATE: 05/20/2026 LIC809 (FAS) - (06/04) Page: 3 of 3

101700.3 1 2 3 4 5 6 7 California Lead Action Level at Child Care Centers (a) California's Action Level for lead in water at Child Care Centers is 5 ppb. (b) Testing results with...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.