

GEORGE MILLER CENTER - RICHMOND

2801 ROBERT MILLER DRIVE
RICHMOND, CA

3 Inspection Visits Since 2023 · 4 Findings

Most recent inspection: May 21, 2025

● 4 Important

Across 3 inspections since 2023, the issues cited most often were (POC) Due Date, May Result in a Civil Penalty Assessment. Mayla Mendoza NAME OF LICENSING PROGRAM MANAGER: Indira Loza NAME OF LICENSING PROGRAM ANALYST: LICENSING PROGRAM ANALYST SIGNATURE: DATE: 05/21/2025 I Acknowledge Receipt of This Form and Understand My Appeal Rights as Explained and Received. FACILITY REPRESENTATIVE SIGNATURE: DATE: 05/21/2025 LIC809 (FAS) - (06/04) Page: 3 of 3 (2), Based on Record Review, the Licensee Did Not Comply with the Section Cited Above, Due to One Staff Missing a Health Screening Report and a TB Clearance Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 04/03/2025 (1), and Based on Record Review, the Licensee Did Not Comply with the Section Cited Above, Due to Faucet "E" in the Bright Beginnings Class Not Being Re-tested After the Facility Added a Reverse Osmosis Filter to the Faucet, as a Means of Remediation. This Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 04/03/2025 (1). None of the 4 findings were critical.

Inspection Visits

May 21, 2025 1 Finding ● 1 Important

- (POC) Due Date, May Result in a Civil Penalty Assessment. Mayla Mendoza NAME OF LICENSING PROGRAM MANAGER: Indira Loza NAME OF LICENSING PROGRAM ANALYST: LICENSING PROGRAM ANALYST SIGNATURE: DATE: 05/21/2025 I Acknowledge Receipt of This Form and Understand My Appeal Rights as Explained and Received. FACILITY REPRESENTATIVE SIGNATURE: DATE: 05/21/2025 LIC809 (FAS) - (06/04) Page: 3 of 3

101700.3(b)(2) 1 2 3 4 5 6 7 California Lead Action Level at Child Care Centers: (b)(2) Licensees shall maintain a lead value at or below the Action Level of 5 ppb in all outlets...

Mar 5, 2025 2 Findings ● 2 Important

- Based on Record Review, the Licensee Did Not Comply with the Section Cited Above, Due to One Staff Missing a Health Screening Report and a TB Clearance Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 04/03/2025

CCR 101216(g)(1) (1) Except as specified in (3) below, good physical health shall be verified by a health screening, including a test for tuberculosis, performed by or under the...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.

- **Based on Record Review, the Licensee Did Not Comply with the Section Cited Above, Due to Faucet "E" in the Bright Beginnings Class Not Being Re-tested After the Facility Added a Reverse Osmosis Filter to the Faucet, as a Means of Remediation. This Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 04/03/2025**

WD 101704(b)(2) (2) Failure to adhere to a POC, including but not limited to the use of an outlet for drinking or food preparation prior to corrective action water sampling.....

Apr 27, 2023 1 Finding ● 1 Important

- **(POC) Due Date, May Result in a Civil Penalty Assessment.**

101700.3(b)(1) 1 2 3 4 5 6 7 Lead Testing Written Directive A result with values of 5.5 ppb or greater shall be deemed an Action Level Exceedance. This requirement has not been...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.