

## CREATIVE LITTLE RASCALS

1515 WEST WHITTIER BLVD.  
LA HABRA, CA

### 2 Inspection Visits Since 2023 · 4 Findings

Most recent inspection: Nov 14, 2024

● 4 Important

Across 2 inspections since 2023, the issues cited most often were Was Offered by the Director. 8 9 10 11 12 13 14 Based on LPA's Observation on 11/14/24 S2 Was Supervising a Few Daycare Children Alone. Records Review Show S2 Was Not Teacher Qualified. This Poses a Potential Risk to the Health and Safety of Children in Care. 8 9 10 11 12 13 14 THIS IS AN AMENDED 809D OF THE ORIGINAL 809D ISSUED 11/14/24. Request Denied (1), (POC) Due Date, May Result in a Civil Penalty Assessment. (1), and Based on Observation and Interview, the Licensee Did Not Comply with the Section Cited Above in 3 of 3 Water Outlets, Which Poses/posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. The Director Stated the Facility Has Not Been Tested for Lead. The Facility Has Three Faucets, One Is Portable. POC Due Date: 01/08/2024 (1). None of the 4 findings were critical.

### Inspection Visits

Nov 14, 2024 2 Findings ● 2 Important

- **Was Offered by the Director. 8 9 10 11 12 13 14 Based on LPA's Observation on 11/14/24 S2 Was Supervising a Few Daycare Children Alone. Records Review Show S2 Was Not Teacher Qualified. This Poses a Potential Risk to the Health and Safety of Children in Care. 8 9 10 11 12 13 14 THIS IS AN AMENDED 809D OF THE ORIGINAL 809D ISSUED 11/14/24. Request Denied**  
CCR 101229(a)(1) 1 2 3 4 5 6 7 101216.1 Teacher Qualifications and Duties. (j) Each teacher shall visually observe aides under his/her supervision whenever the aide is working...
- **(POC) Due Date, May Result in a Civil Penalty Assessment.**  
CCR 101238(a) 1 2 3 4 5 6 7 101238(a) Buildings and Grounds. The child care center shall be clean, safe, sanitary and in good repair at all times to ensure the safety and...

Dec 8, 2023 2 Findings ● 2 Important

#### About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.

- **Based on an Interview with the Licensee, the Licensee Did Not Comply with the Section Cited Above in 1 of 1 Drill Every Six Months, Which Poses/posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. The Licensee Stated That Because the Facility Just Recently Enrolled Children, No Disaster Drills Have Been Conducted. POC Due Date: 01/08/2024**

CCR 101174(d) Disaster and Mass Casualty Plan (d) Disaster drills shall be conducted at least every six months. This requirement is not met as evidenced by:

- **Based on Observation and Interview, the Licensee Did Not Comply with the Section Cited Above in 3 of 3 Water Outlets, Which Poses/posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. The Director Stated the Facility Has Not Been Tested for Lead. The Facility Has Three Faucets, One Is Portable. POC Due Date: 01/08/2024**

HSC 1597.16(a)(1) Lead Testing (1) A licensed child day care center, as defined in Section 1596.76, that is located in a building that was constructed before January 1, 2010,...

#### About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.