

LONGFELLOW STATE PRESCHOOL

11001 S. DWIGHT STREET
COMPTON, CA

2 Inspection Visits Since 2025 · 4 Findings

Most recent inspection: Feb 13, 2026

● 4 Important

Across 2 inspections since 2025, the issues cited most often were Based on Observation, the Licensee Did Not Comply with the Section Cited Above in There Is No Operable Carbon Monoxide Unit in the Classroom Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 02/20/2026 (1), Based on Record Review, the Licensee Did Not Comply with the Section Cited Above in Facility Has Failed to Test Building Water for Lead After 1/1/20 and Before 1/1/23 Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 02/27/2026 (1), and Based on Observation, the Licensee Did Not Comply with Ensuring Playground Turf Had No Holes or Tripping Hazard Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 02/12/2025 (1). None of the 4 findings were critical.

Inspection Visits

Feb 13, 2026 2 Findings ● 2 Important

- **Based on Observation, the Licensee Did Not Comply with the Section Cited Above in There Is No Operable Carbon Monoxide Unit in the Classroom Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 02/20/2026**

HSC 1596.954 Every licensed child day care center shall have one or more carbon monoxide detectors in the facility that meet the standards established in Chapter 8 (commencing...

- **Based on Record Review, the Licensee Did Not Comply with the Section Cited Above in Facility Has Failed to Test Building Water for Lead After 1/1/20 and Before 1/1/23 Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 02/27/2026**

HSC 1597.16(A)(1) (1) A licensed child day care center, as defined in Section 1596.76, that is located in a building that was constructed before January 1, 2010, shall have its...

Jan 29, 2025 2 Findings ● 2 Important

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.

- **Based on Interview and Record Review, the Licensee Did Not Comply with Having All Staff Files Readily Available Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 02/12/2025**

CCR 101217(a) Personnel Records (a) The licensee shall ensure that personnel records are maintained on the licensee, administrator and each employee. Each personnel record shall...

- **Based on Observation, the Licensee Did Not Comply with Ensuring Playground Turf Had No Holes or Tripping Hazard Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 02/12/2025**

CCR 101238(a) Buildings and Grounds (a) The child care center shall be clean, safe, sanitary and in good repair at all times to ensure the safety and well-being of children,...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.