

SEASIDE COSTA MESA PRESCHOOL

1701 BAKER STREET
COSTA MESA, CA

1 Inspection Visit Since 2025 · 1 Finding

Most recent inspection: Jan 23, 2025

1 Important

Across 1 inspection since 2025, the issues cited most often were Based on Observation and Interview the Licensee Did Not Comply with the Section Cited Above in That There Is a Body of Water Present at the Facility. LPA Observed a Fishpond in the Nature Yard Which Is Accessible to Children and Not Properly Fenced Which Poses an Immediate Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 01/24/2025 (1). The single finding was not critical.

Inspection Visits

Jan 23, 2025 1 Finding 1 Important

- **Based on Observation and Interview the Licensee Did Not Comply with the Section Cited Above in That There Is a Body of Water Present at the Facility. LPA Observed a Fishpond in the Nature Yard Which Is Accessible to Children and Not Properly Fenced Which Poses an Immediate Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 01/24/2025**

CCR 101238(e) Buildings and Grounds (e) All licensees shall ensure the inaccessibility of pools, including swimming pools (in-ground and above-ground), fixed-in-place wading...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.