

## KINDERCARE LEARNING CENTER

16149 FOOTHILL BOULEVARD  
FONTANA, CA

### 2 Inspection Visits Since 2023 · 6 Findings

Most recent inspection: Oct 17, 2024

● 6 Important

Across 2 inspections since 2023, the issues cited most often were Cited rule (1), (POC) Due Date, May Result in a Civil Penalty Assessment. (1), and Cited rule (1). None of the 6 findings were critical.

### Inspection Visits

Oct 17, 2024 4 Findings ● 4 Important

● **(POC) Due Date, May Result in a Civil Penalty Assessment.**

CCR 101217(a) 1 2 3 4 5 6 7 Personnel records shall be maintained on the licensee, administrator, and each employee, and shall contain specified information. During record review,...

● **Cited rule**

CCR 101218(a)(6) 1 2 3 4 5 6 7 (a) Every child care center shall have all admission policies in writing and available to the public. The policies shall coincide with the...

● **(POC) Due Date, May Result in a Civil Penalty Assessment.**

CCR 101229.1(a)(1) 1 2 3 4 5 6 7 (a) In addition to the sign-in procedure requirement of Section 101226.1(b), the licensee shall develop, maintain, and implement a written...

● **Cited rule**

CCR 101238(g)(1) 1 2 3 4 5 6 7 Disinfectants, cleaning solutions, poisons and other items that could pose a danger if readily available to children shall be stored where...

Oct 25, 2023 2 Findings ● 2 Important

● **Based on Record Review, the Facility Did Not Comply with the Section Cited Above in 1 Out of 2 Persons. A Staff Did Not Have an Updated Mandated Reporter Training (MRT) for "Child Care Providers", as Required. This Poses/posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 11/22/2023**

HSC 1596.8662(b)(1) Administration of Child Day Care Licensing (1) On or before March 30, 2018, a person who, on January 1, 2018, is a licensed child day care provider,...

### About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.

- **Based on Record Review and Directors Own Admission, the Facility Did Not Comply with the Section Cited Above. Centers Should Have Had Water Tested for Lead Contamination Levels No Later Than January 1, 2023. This Center Was Not Able to Get Their Lead Testing Done. This Poses/posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 11/22/2023**

HSC 1597.16(a)(1) Lead Testing (1) A licensed child day care center, as defined in Section 1596.76, that is located in a building that was constructed before January 1, 2010,...

#### About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.