

ST. ANTHONY PRESCHOOL

1801 WINTON WAY
ATWATER, CA

3 Inspection Visits Since 2021 · 4 Findings

Most recent inspection: Aug 20, 2025

● 4 Important

Across 3 inspections since 2021, the issues cited most often were Based on Record Review, the Licensee Did Not Comply with the Section Cited Above. Per Record Review, LPA Observed That Staff #1 (Site (2), Based on Record Review, the Licensee Did Not Comply with the Section Cited Above. The Facility Did Not Have Record That Its Drinking Water Was Tested for Lead Contamination Levels on or After January 1, 2020, but No Later Than January 1, 2023, Which Poses a Potential Health, Safety, or Personal Rights Risk to Persons in Care. POC Due Date: 09/12/2023 (1), and (POC) Due Date, May Result in a Civil Penalty Assessment. (1). None of the 4 findings were critical.

Inspection Visits

Aug 20, 2025 1 Finding ● 1 Important

- **Based on Record Review, the Licensee Did Not Comply with the Section Cited Above. Per Record Review, LPA Observed That Staff #1 (Site**

HSC 1596.871(c)(1)(A) Administration of Child Day Care Licensing Subsequent to initial licensure, a person specified in subdivision (b) who is not exempt from fingerprinting shall...

Aug 22, 2023 2 Findings ● 2 Important

- **Based on Record Review, the Licensee Did Not Comply with the Section Cited Above. Staff #3 (S3) Background Clearance Was Not Associated with This Facility Which Poses a Potential Health, Safety, or Personal Rights Risk to Persons in Care. POC Due Date: 08/29/2023**

HSC 1596.871(c)(1)(A) Administration of Child Day Care Licensing Subsequent to initial licensure, a person specified in subdivision (b) who is not exempt from fingerprinting shall...

- **Based on Record Review, the Licensee Did Not Comply with the Section Cited Above. The Facility Did Not Have Record That Its Drinking Water Was Tested for Lead Contamination Levels on or After January 1, 2020, but No Later Than January 1, 2023, Which Poses a Potential Health, Safety, or Personal Rights Risk to Persons in Care. POC Due Date: 09/12/2023**

HSC 1597.16(a)(1) Lead Testing (1) A licensed child day care center, as defined in Section 1596.76, that is located in a building that was constructed before January 1, 2010,...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.

Aug 16, 2021 1 Finding ● 1 Important

● **(POC) Due Date, May Result in a Civil Penalty Assessment.**

CCR 101238(a) 1 2 3 4 5 6 7 The child care center shall be clean, safe, sanitary and in good repair at all times to ensure the safety and well-being of children, employees and...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.