

FOOTSTEPS PRESCHOOL

8335 CHURCH STREET
GILROY, CA

3 Inspection Visits Since 2022 · 4 Findings

Most recent inspection: Nov 14, 2025

● 4 Important

Across 3 inspections since 2022, the issues cited most often were Based on Record Review, the Licensee Did Not Comply with the Section Cited Above by Not Maintaining Mandated Reporting Training for Staff 2- S2 (Expired: 6/27/25), and Staff 3- S3 (Expired: 4/28/25) Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 11/21/2025 (1), Based on Observation, the Licensee Did Not Comply with the Section Cited Above, Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. LPA Observed That There Was Not Enough Resilient Material Around the Play Structure. POC Due Date: 05/31/2023 (1), and Based on Observation, the Licensee Did Not Comply with the Section Cited Above, Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. LPA Observed That Facility Is Using Both Restroom for Children. There Were Only One Staff Outside. Staff Cannot See Children in Both Restroom. Staff Was Walking Back and Forth From Both Restrooms. POC Due Date: 05/31/2023 (1). None of the 4 findings were critical.

Inspection Visits

Nov 14, 2025 1 Finding ● 1 Important

- **Based on Record Review, the Licensee Did Not Comply with the Section Cited Above by Not Maintaining Mandated Reporting Training for Staff 2- S2 (Expired: 6/27/25), and Staff 3- S3 (Expired: 4/28/25) Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 11/21/2025**
HSC 1596.8662(b)(1) Administration of Child Day Care Licensing (1) On or before March 30, 2018, a person who, on January 1, 2018, is a licensed child day care provider,...

May 24, 2023 2 Findings ● 2 Important

- **Based on Observation, the Licensee Did Not Comply with the Section Cited Above, Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. LPA Observed That Facility Is Using Both Restroom for Children. There Were Only One Staff Outside. Staff Cannot See Children in Both Restroom. Staff Was Walking Back and Forth From Both Restrooms. POC Due Date: 05/31/2023**
CCR 101229(a)(1) Responsibility for Providing Care and Supervision (a) The licensee shall provide care and supervision as necessary to meet the children's needs. (1) No child(ren)...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.

- **Based on Observation, the Licensee Did Not Comply with the Section Cited Above, Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. LPA Observed That There Was Not Enough Resilient Material Around the Play Structure. POC Due Date: 05/31/2023**

CCR 101238.2(e) Outdoor Activity Space (e) As a condition of licensure, the areas around and under high climbing equipment, swings, slides and other similar equipment shall be...

Aug 30, 2022 1 Finding ● 1 Important

- **(POC) Due Date, May Result in a Civil Penalty Assessment.**

CCR 101238(a) 1 2 3 4 5 6 7 Building and Grounds. The child care center shall be clean, safe, sanitary and in good repair at all times to ensure the safety and well-being of...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.