

WATCH ME GROW PRESCHOOL

2720 S. ASPEN
VISALIA, CA

1 Inspection Visit Since 2025 · 3 Findings

Most recent inspection: Jun 10, 2025

● 3 Important

Across 1 inspection since 2025, the issues cited most often were Based on Observation the Director Did Not Comply with the Section Cited Above as LPA Observed the Children's Sleeping Mat Plastic Material Is Tearing Off, the Cushion Is Exposed and Coming Out of the Mat Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 06/24/2025 (1), Based on Observation the Director Did Not Comply with the Section Cited Above as . . . Please Refer to LIC 809 for a Detail Description of LPA's Observations. . . . Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 06/24/2025 (1), and Based on Observation, the Licensee Did Not Comply with the Section Cited Above in That LPA Observed Three Leaky Toilets and Grime and Debris Around Toilet Fixtures Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 06/24/2025 (1). None of the 3 findings were critical.

Inspection Visits

Jun 10, 2025 3 Findings ● 3 Important

- **Based on Observation the Director Did Not Comply with the Section Cited Above as . . . Please Refer to LIC 809 for a Detail Description of LPA's Observations. . . . Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 06/24/2025**

CCR 101238(g) Buildings and Grounds (g) Disinfectants, cleaning solutions, poisons and other items that could pose a danger if readily available to children shall be stored where...

- **Based on Observation the Director Did Not Comply with the Section Cited Above as LPA Observed the Children's Sleeping Mat Plastic Material Is Tearing Off, the Cushion Is Exposed and Coming Out of the Mat Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 06/24/2025**

CCR 101239.1(b)(5) Napping Equipment (b) Floor mats used for napping shall be: (5) Maintained in a safe condition with no exposed foam. This requirement is not met as evidenced by:

- **Based on Observation, the Licensee Did Not Comply with the Section Cited Above in That LPA Observed Three Leaky Toilets and Grime and Debris Around Toilet Fixtures Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 06/24/2025**

CCR 101239(e)(4) Fixtures, Furniture, Equipment and Supplies; All toilets, handwashing and bathing facilities shall be maintained in safe and sanitary operating condition. This...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.