

LINCOLN PRESCHOOL

909 E. CEDAR
TULARE, CA

1 Inspection Visit Since 2024 · 1 Finding

Most recent inspection: Nov 13, 2024

● 1 Important

Across 1 inspection since 2024, the issues cited most often were Based on Observation, the Licensee Did Not Comply with the Section Cited Above Which Posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. During Facility Walk Through Licensing Program Analyst Observed There to Be an Accessible Cabinet with Cleaning Solutions Stored. Director Immedietyly Removed Them and Were Placed in an Inaccessible Area. POC Due Date: 11/15/2024 (1). The single finding was not critical.

Inspection Visits

Nov 13, 2024 1 Finding ● 1 Important

- **Based on Observation, the Licensee Did Not Comply with the Section Cited Above Which Posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. During Facility Walk Through Licensing Program Analyst Observed There to Be an Accessible Cabinet with Cleaning Solutions Stored. Director Immedietyly Removed Them and Were Placed in an Inaccessible Area. POC Due Date: 11/15/2024**

CCR 101238(g) Buildings and Grounds (g) Disinfectants, cleaning solutions, poisons and other items that could pose a danger if readily available to children shall be stored where...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.