

## GROWING TREE PRESCHOOL

1850 W. VALLEY BOULEVARD  
ALHAMBRA, CA

### 1 Inspection Visit Since 2023 · 1 Finding

Most recent inspection: Aug 10, 2023

● 1 Important

Across 1 inspection since 2023, the issues cited most often were Based on Observation and Review, the Facility Did Not Comply with the Section Cited Above as Drinking Water Tested for Lead Contamination Levels Were Completed Prior to 07/28/21 Which Poses/posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 09/08/2023 (1). The single finding was not critical.

### Inspection Visits

**Aug 10, 2023** 1 Finding ● 1 Important

- **Based on Observation and Review, the Facility Did Not Comply with the Section Cited Above as Drinking Water Tested for Lead Contamination Levels Were Completed Prior to 07/28/21 Which Poses/posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 09/08/2023**

HSC 1597.16(a)(1) Lead Testing (1) A licensed child day care center, as defined in Section 1596.76, that is located in a building that was constructed before January 1, 2010,...

#### About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.