

CATALYST KIDS-TURTLE ROCK

5151 AMALFI DRIVE
IRVINE, CA

2 Inspection Visits Since 2021 · 2 Findings

Most recent inspection: Sep 13, 2022

● 2 Important

Across 2 inspections since 2021, the issues cited most often were And Details of Steps Taken to Resolve the Deficiency. 8 9 10 11 12 13 14 Lab Report Analysis Water From Outlet C (6.3 Parts per Billion) Taken on 06/18/2022 Indicated Levels of Lead in Exceedance. 8 9 10 11 12 13 14 1 2 3 4 5 6 7 1 2 3 4 5 6 7 1 2 3 4 5 6 7 1 2 3 4 5 6 7 Failure to Correct the Cited Deficiency(ies), on or Before the Plan of Correction (POC) Due Date, May Result in a Civil Penalty Assessment. (1) and Cited rule (1). None of the 2 findings were critical.

Inspection Visits

Sep 13, 2022 1 Finding ● 1 Important

- **And Details of Steps Taken to Resolve the Deficiency. 8 9 10 11 12 13 14 Lab Report Analysis Water From Outlet C (6.3 Parts per Billion) Taken on 06/18/2022 Indicated Levels of Lead in Exceedance. 8 9 10 11 12 13 14 1 2 3 4 5 6 7 1 2 3 4 5 6 7 1 2 3 4 5 6 7 1 2 3 4 5 6 7 Failure to Correct the Cited Deficiency(ies), on or Before the Plan of Correction (POC) Due Date, May Result in a Civil Penalty Assessment.**

101700.3(b)(1) 1 2 3 4 5 6 7 101700.3 California Lead Action Level at Child Care Centers (b) Testing results...comparing to the Action Level. (1) A result with values of 5.5 part...

Oct 22, 2021 1 Finding ● 1 Important

- **Cited rule**

CCR 101229(a)(1) 1 2 3 4 5 6 7 101229 Care and Supervision (a) The licensee shall provide care and supervision as necessary to meet the children's needs. (1) No child shall be...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.