

APPLE YOUCHIEN

2550 FAIRFIELD STREET
SAN DIEGO, CA

2 Inspection Visits Since 2023 · 3 Findings

Most recent inspection: May 24, 2023

● 3 Important

Across 2 inspections since 2023, the issues cited most often were (POC) Due Date, May Result in a Civil Penalty Assessment. (1), Based on Record Review and the Director's Statement, the Licensee Did Not Comply with the Section Cited Above. The Licensee Has Not Had the Facility's Drinking Water Tested for Lead Contamination. This Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 04/28/2023 (1), and Based on Record Review, the Licensee Did Not Comply with the Section Cited Above in 4 Out of 5 Staff Members Whose Files Were Reviewed Do Not Have a Signed Health-screening Report at the Facility. This Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 04/28/2023 (1). None of the 3 findings were critical.

Inspection Visits

May 24, 2023 1 Finding ● 1 Important

● (POC) Due Date, May Result in a Civil Penalty Assessment.

CCR 101700.3 1 2 3 4 5 6 7 Facility failed to maintain a lead value at or below the Action Level for water lead testing resulting with values of 5.5 ppb or greater for Sample Sink...

Mar 23, 2023 2 Findings ● 2 Important

● Based on Record Review, the Licensee Did Not Comply with the Section Cited Above in 4 Out of 5 Staff Members Whose Files Were Reviewed Do Not Have a Signed Health-screening Report at the Facility. This Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 04/28/2023

CCR 101216(g)(2) Personnel Requirements (2) Each person specified in (g) above shall have a health-screening report signed by the person performing the screening. This report...

● Based on Record Review and the Director's Statement, the Licensee Did Not Comply with the Section Cited Above. The Licensee Has Not Had the Facility's Drinking Water Tested for Lead Contamination. This Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 04/28/2023

HSC 1597.16(a)(1) Lead Testing (1) A licensed child day care center, as defined in Section 1596.76, that is located in a building that was constructed before January 1, 2010,...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.