

RISING STAR PRESCHOOL

2530 TRACTION AVENUE
SACRAMENTO, CA

3 Inspection Visits Since 2023 · 4 Findings

Most recent inspection: Jun 6, 2025

● 4 Important

Across 3 inspections since 2023, the issues cited most often were (POC) Due Date, May Result in a Civil Penalty Assessment. (1), Based on Observation and Interview, the Licensee Did Not Comply with the Section Cited Above. LPA Did Not Observed a Working Carbon Monoxide Detector in the Facility, Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 02/24/2025 (1), and Based on Observation and Interview, the Licensee Did Not Comply with the Section Cited Above. LPA Observed a Rusted Nail Exposed Through Composing Wood on the Corner of the Wooden Platform Around the Tree. LPA Also Observed a Small Ditch Between the Cement Walkway Into the Middle of the Preschool Play Yard. This Posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 02/24/2025 (1). None of the 4 findings were critical.

Inspection Visits

Jun 6, 2025 1 Finding ● 1 Important

● **(POC) Due Date, May Result in a Civil Penalty Assessment.**

CCR 101217(a) 1 2 3 4 5 6 7 101217(a) Personnel Records. Personnel records shall be maintained on the licensee, administrator, and each employee, and shall contain specified...

Jan 23, 2025 2 Findings ● 2 Important

● **Based on Observation and Interview, the Licensee Did Not Comply with the Section Cited Above. LPA Observed a Rusted Nail Exposed Through Composing Wood on the Corner of the Wooden Platform Around the Tree. LPA Also Observed a Small Ditch Between the Cement Walkway Into the Middle of the Preschool Play Yard. This Posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 02/24/2025**

CCR 101238(a) Buildings and Grounds (a) The child care center shall be clean, safe, sanitary and in good repair at all times to ensure the safety and well-being of children,...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.

- **Based on Observation and Interview, the Licensee Did Not Comply with the Section Cited Above. LPA Did Not Observed a Working Carbon Monoxide Detector in the Facility, Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 02/24/2025**

HSC 1596.954 Licensure Requirements Every licensed child day care center shall have one or more carbon monoxide detectors in the facility that meet the standards established in...

Jun 1, 2023 1 Finding ● 1 Important

- **(POC) Due Date, May Result in a Civil Penalty Assessment.**

CCR 101218(a)(1) 1 2 3 4 5 6 7 Every child care center shall have all admission policies in writing and available to the public. The policies shall coincide with the limitations...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.