

CLOVIS CHRISTIAN SCHOOLS, LLC

3105 LOCAN AVE
CLOVIS, CA

3 Inspection Visits Since 2022 · 5 Findings

Most recent inspection: May 21, 2026

● 5 Important

Across 3 inspections since 2022, the issues cited most often were Based on Observation, the Licensee Did Not Comply with the Section Cited Above Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. Licensing Program Analyst (LPA) Observed a Broken Urinal Covered with Plastic and Loose Wall Trim in the Outdoor Bathroom as Well as a Broken Handwashing Faucet in the Outdoor Area. LPA Observed That the Windows in Each Classroom Were Missing Screens or the Screens Were Torn. LPA Observed a Dead Insect on a Windowsill in Room 103. LPA Further Observed That the Colorful Carpets in Both Classrooms Were Highly Stained with Dark Dirt Marks Throughout. POC Due Date: 06/22/2026 (2), Based on Record Review, the Licensee Did Not Comply with the Section Cited Above Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. Licensing Program Analyst (LPA) Observed That the Pediatric CPR/First Aid Training Completed by All Staff Was Not EMSA Approved Training. POC Due Date: 06/22/2026 (1), and Based on Interview, the Licensee Did Not Comply with the Section Cited Above. Per Facility Director the Facility Has Not Conducted Lead Testing and Was Not Able to Provide Proof, Which Poses a Potential Health, Safety, or Personal Rights Risk to Persons in Care. POC Due Date: 06/16/2023 (1). None of the 5 findings were critical.

Inspection Visits

May 21, 2026 3 Findings ● 3 Important

- **Based on Record Review, the Licensee Did Not Comply with the Section Cited Above Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. Licensing Program Analyst (LPA) Observed That the Pediatric CPR/First Aid Training Completed by All Staff Was Not EMSA Approved Training. POC Due Date: 06/22/2026**

CCR 101216(f) Personnel Requirements (f) At least one staff member who is trained in pediatric cardiopulmonary resuscitation and pediatric first aid pursuant to Health and Safety...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.

- **Based on Observation, the Licensee Did Not Comply with the Section Cited Above Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. Licensing Program Analyst (LPA) Observed a Broken Urinal Covered with Plastic and Loose Wall Trim in the Outdoor Bathroom as Well as a Broken Handwashing Faucet in the Outdoor Area. LPA Observed That the Windows in Each Classroom Were Missing Screens or the Screens Were Torn. LPA Observed a Dead Insect on a Windowsill in Room 103. LPA Further Observed That the Colorful Carpets in Both Classrooms Were Highly Stained with Dark Dirt Marks Throughout. POC Due Date: 06/22/2026**

CCR 101238(a) Buildings and Grounds (a) The child care center shall be clean, safe, sanitary and in good repair at all times to ensure the safety and well-being of children,...

- **Based on Observation, the Licensee Did Not Comply with the Section Cited Above Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. Licensing Program Analyst (LPA) Observed a Bottle of Windex, Several Containers of Disinfectant Wipes, and Lysol Spray on a Low Cabinet Within Children's Reach in Room 103. LPA Observed a Small Lighter in an Unlatched Drawer in Room 103. LPA Also Observed Some Hand Lotion and Bottle of Air Freshner on the Teacher's Desk in Room 103. LPA Also Observed Staff Handbags Within Reach of Children in Both Classrooms (101 and 103). LPA Observed Several Diaper Rash Medicated Cream Tubes in a Low Cabinet Inside of the Children's Bathroom in Room 101. POC Due Date: 06/22/2026**

CCR 101238(g) Buildings and Grounds (g) Disinfectants, cleaning solutions, poisons and other items that could pose a danger if readily available to children shall be stored where...

May 19, 2023 1 Finding ● 1 Important

- **Based on Interview, the Licensee Did Not Comply with the Section Cited Above. Per Facility Director the Facility Has Not Conducted Lead Testing and Was Not Able to Provide Proof, Which Poses a Potential Health, Safety, or Personal Rights Risk to Persons in Care. POC Due Date: 06/16/2023**

HSC 1597.16(a)(1) Lead Testing (1) A licensed child day care center, as defined in Section 1596.76, that is located in a building that was constructed before January 1, 2010,...

May 20, 2022 1 Finding ● 1 Important

- **Based on Records Review, the Licensee Did Not Comply with the Section Cited Above. LPAs Observed That Staff Was Signing Children in and Out with Their Own Names on Several Different Dates Which Poses/posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 05/27/2022**

CCR 101229.1(a)(1) Sign In and Sign Out (a) In addition to the sign-in procedure requirement of Section 101226.1(b), the licensee shall develop, maintain and implement a written...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.