

PLUMFIELD PRE-SCHOOL

2112 E. SANTA CLARA AVE.
SANTA ANA, CA

2 Inspection Visits Since 2022 · 2 Findings

Most recent inspection: Jul 31, 2024

● 2 Important

Across 2 inspections since 2022, the issues cited most often were Based on Observation and Interview the Licensee Did Not Comply with the Section Cited Above. LPA Observed an Unlocked Cub Bard That Is at Child's Level That Had Clorox Chemicals in a Plastic Bag in the Front of the Cub Bard Which Poses/posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 07/31/2024 (1) and (POC) Due Date, May Result in a Civil Penalty Assessment. (1). None of the 2 findings were critical.

Inspection Visits

Jul 31, 2024 1 Finding ● 1 Important

- **Based on Observation and Interview the Licensee Did Not Comply with the Section Cited Above. LPA Observed an Unlocked Cub Bard That Is at Child's Level That Had Clorox Chemicals in a Plastic Bag in the Front of the Cub Bard Which Poses/posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 07/31/2024**

CCR 101238(g) Buildings and Grounds (g) Disinfectants, cleaning solutions, poisons and other items that could pose a danger if readily available to children shall be stored where...

Dec 14, 2022 1 Finding ● 1 Important

- **(POC) Due Date, May Result in a Civil Penalty Assessment.**

101700.3 1 2 3 4 5 6 7 101700.3 California Lead Action Level at Child Care Centers (b) Testing results with fractional ppb readings of 0.5 ppb or greater shall be rounded up to...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.