

CAPISTRANO ELEMENTARY SCHOOL PRESCHOOL

8118 CAPISTRANO AVENUE ROOM #1
WEST HILLS, CA

2 Inspection Visits Since 2022 · 2 Findings

Most recent inspection: Nov 22, 2024

● 2 Important

Across 2 inspections since 2022, the issues cited most often were (POC) Due Date, May Result in a Civil Penalty Assessment. (1) and Based on [(Observation) (Interview) (Record Review)], the Licensee Did Not Comply with the Section Cited Above in [1t] Out of [1] [(Objects) (Persons)] [Identifiers] Which Poses/posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 06/06/2022 (1). None of the 2 findings were critical.

Inspection Visits

Nov 22, 2024 1 Finding ● 1 Important

● **(POC) Due Date, May Result in a Civil Penalty Assessment.**

CCR 100700.3(b)(1) 1 2 3 4 5 6 7 (b) Testing results with fractional ppb readings of 0.5 ppb or greater...(1) A result with values of 5.5 ppb or greater shall be deemed an Action...

May 27, 2022 1 Finding ● 1 Important

● **Based on [(Observation) (Interview) (Record Review)], the Licensee Did Not Comply with the Section Cited Above in [1t] Out of [1] [(Objects) (Persons)] [Identifiers] Which Poses/posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 06/06/2022**

HSC 1596.954 Licensure Requirements Every licensed child day care center shall have one or more carbon monoxide detectors in the facility that meet the standards established in...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.