

## KINDERCARE LEARNING CENTER

16901 LASSEN STREET  
NORTH HILLS, CA

### 1 Inspection Visit Since 2025 · 2 Findings

Most recent inspection: Mar 28, 2025

#### ● 2 Important

Across 1 inspection since 2025, the issues cited most often were Based on Observation, the Licensee Did Not Comply with the Section Cited Above in LPA Observed an Access Gate That Opened Away From the Swimming Pool but Did Not Self-close or Self-latched. LPA Observed the Key Lockable Device Placed on the Fence Lower Than 60 Inches Above the Ground. LPA Also Observed a Wooden Fence That Was Half the Height of the Chain Link Fence That Serves as a Foothold That Could Enable a Child to Climb Over Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 04/18/2025 (1) and Based on Record Review, the Licensee Did Not Comply with the Section Cited Above in There Was No Staff Present During This Inspection with a Current Pediatric First Aid and Pediatric CPR Course Completion Cards Issued by the American Red Cross, the American Heart Association, or by a Training Program Approved by the Emergency Medical Services Authority Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 04/18/2025 (1). None of the 2 findings were critical.

### Inspection Visits

#### About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.

**Mar 28, 2025** 2 Findings ● 2 Important

- **Based on Record Review, the Licensee Did Not Comply with the Section Cited Above in There Was No Staff Present During This Inspection with a Current Pediatric First Aid and Pediatric CPR Course Completion Cards Issued by the American Red Cross, the American Heart Association, or by a Training Program Approved by the Emergency Medical Services Authority Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 04/18/2025**

CCR 101216(f) Personnel Requirements (f) At least one staff member who is trained in pediatric cardiopulmonary resuscitation and pediatric first aid pursuant to Health and Safety...

- **Based on Observation, the Licensee Did Not Comply with the Section Cited Above in LPA Observed an Access Gate That Opened Away From the Swimming Pool but Did Not Self-close or Self-latched. LPA Observed the Key Lockable Device Placed on the Fence Lower Than 60 Inches Above the Ground. LPA Also Observed a Wooden Fence That Was Half the Height of the Chain Link Fence That Serves as a Foothold That Could Enable a Child to Climb Over Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 04/18/2025**

HSC 1596.814(b) Pool Safety (b) A licensed daycare center with an in-ground swimming pool on the premises shall comply with all of the following requirements: This requirement is...

#### About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.