

SANTA CRUZ MONTESSORI SCHOOL

6230 SOQUEL DRIVE
APTOS, CA

1 Inspection Visit Since 2023 · 2 Findings

Most recent inspection: Oct 18, 2023

● 2 Important

Across 1 inspection since 2023, the issues cited most often were Based on Interview, the Licensee Did Not Comply with the Section Cited Above in Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. Director Stated That Facility Has Not Completed the Water Lead Testing. POC Due Date: 11/08/2023 (1) and Based Record Review and Interview, the Licensee Did Not Comply with the Section Cited Above for Staff, S2, Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 11/01/2023 (1). None of the 2 findings were critical.

Inspection Visits

Oct 18, 2023 2 Findings ● 2 Important

● Based Record Review and Interview, the Licensee Did Not Comply with the Section Cited Above for Staff, S2, Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 11/01/2023

HSC 1596.8662(b)(1) Administration of Child Day Care Licensing (1) On or before March 30, 2018, a person who, on January 1, 2018, is a licensed child day care provider,...

● Based on Interview, the Licensee Did Not Comply with the Section Cited Above in Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. Director Stated That Facility Has Not Completed the Water Lead Testing. POC Due Date: 11/08/2023

HSC 1597.16(a)(1) Lead Testing (1) A licensed child day care center, as defined in Section 1596.76, that is located in a building that was constructed before January 1, 2010,...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.