

JOYFUL NOISE PRESCHOOL

200 SOUTH PLUMAS STREET
WILLOWS, CA

1 Inspection Visit Since 2024 · 1 Finding

Most recent inspection: Oct 14, 2024

● 1 Important

Across 1 inspection since 2024, the issues cited most often were Based on Record Review, the Licensee Did Not Comply with the Section Cited Above in Fauce D in Kitchen Tested 26 Ppb Which Poses/posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 10/14/2024 (1). The single finding was not critical.

Inspection Visits

Oct 14, 2024 1 Finding ● 1 Important

- **Based on Record Review, the Licensee Did Not Comply with the Section Cited Above in Fauce D in Kitchen Tested 26 Ppb Which Poses/posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 10/14/2024**

CCR 101700.3(b)(2) California Lead Action Level and Child Care Centers- A result with values of 5.5 ppb or greater shall be deemed an Action Level Exceedence. This requirement is...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.