

YMCA CHILDCARE - GOLDEN VIEW

5025 CANYON CREST DR
SAN RAMON, CA

1 Inspection Visit Since 2023 · 1 Finding

Most recent inspection: Dec 18, 2023

1 Important

Across 1 inspection since 2023, the issues cited most often were Needed. 8 9 10 11 12 13 14 This Requirement Is Not Met as Evidenced By: Based on Record Review, the Facility Had 1 Water Fountain That Had an ALE of 5.5ppb or Greater Which Posed a Potential Health and Safety Risk to Children in Care. 8 9 10 11 12 13 14 1 2 3 4 5 6 7 1 2 3 4 5 6 7 1 2 3 4 5 6 7 Failure to Correct the Cited Deficiency(ies), on or Before the Plan of Correction (POC) Due Date, May Result in a Civil Penalty Assessment. (1). The single finding was not critical.

Inspection Visits

Dec 18, 2023 1 Finding 1 Important

- Needed. 8 9 10 11 12 13 14 This Requirement Is Not Met as Evidenced By: Based on Record Review, the Facility Had 1 Water Fountain That Had an ALE of 5.5ppb or Greater Which Posed a Potential Health and Safety Risk to Children in Care. 8 9 10 11 12 13 14 1 2 3 4 5 6 7 1 2 3 4 5 6 7 1 2 3 4 5 6 7 Failure to Correct the Cited Deficiency(ies), on or Before the Plan of Correction (POC) Due Date, May Result in a Civil Penalty Assessment.

101700.3(b)(1) 1 2 3 4 5 6 7 101700.3(b)(1) - Lead Testing Written Directive - A result with values of 5.5 ppb or greater shall be deemed an Action Level Exceedance (ALE) 1 2 3 4...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.