

RUSD/EMERSON ELEMENTARY SCHOOL

4660 OTTAWA AVENUE
RIVERSIDE, CA

2 Inspection Visits Since 2023 · 3 Findings

Most recent inspection: Dec 15, 2025

3 Important

Across 2 inspections since 2023, the issues cited most often were Based on Record Review and Interview, the Licensee Did Not Comply with the Section Cited Above in That 2 Out of 4 Staff Records (Staff 2 [S2] & Staff 4 [S4]) Did Not Have a Health Screening Available to Review. Additionally, 1 Out Fo 4 Staff Members (Staff 3 [S3]) Did Not Have Any Documents Available to Review Which Poses/posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 01/12/2026 (1), Based on Observation, Interview and Ecord Review, the Licensee Did Not Comply with the Section Cited Above in the Licensee Was Unable to Provide Proof of Lead Testing on the Water Outlets Used for Food Preparation and Located on Site, in the School Kitchen, Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 06/22/2023 (1), and (POC) Due Date, May Result in a Civil Penalty Assessment. (1). None of the 3 findings were critical.

Inspection Visits

Dec 15, 2025 1 Finding 1 Important

- **Based on Record Review and Interview, the Licensee Did Not Comply with the Section Cited Above in That 2 Out of 4 Staff Records (Staff 2 [S2] & Staff 4 [S4]) Did Not Have a Health Screening Available to Review. Additionally, 1 Out Fo 4 Staff Members (Staff 3 [S3]) Did Not Have Any Documents Available to Review Which Poses/posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 01/12/2026**

CCR 101217(d) Personnel Records (d) All personnel records shall be maintained at the child care center and shall be available to the licensing agency for review. This requirement...

May 22, 2023 2 Findings 2 Important

- **(POC) Due Date, May Result in a Civil Penalty Assessment.**

CCR 101700.3(b)(1) 1 2 3 4 5 6 7 101700.3 (b)(1) A result with values of 5.5 ppb or greater shall be deemed an Action Level Exceedance. This requirement is not met as evidence by:...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.

- **Based on Observation, Interview and Ecord Review, the Licensee Did Not Comply with the Section Cited Above in the Licensee Was Unable to Provide Proof of Lead Testing on the Water Outlets Used for Food Preparation and Located on Site, in the School Kitchen, Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 06/22/2023**

HSC 1597.16(a)(1) Lead Testing (1) A licensed child day care center, as defined in Section 1596.76, that is located in a building that was constructed before January 1, 2010,...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.