

PIONEER HEAD START

1500 MEREDITH AVENUE
GUSTINE, CA

1 Inspection Visit Since 2023 · 1 Finding

Most recent inspection: Jan 31, 2023

● 1 Important

Across 1 inspection since 2023, the issues cited most often were Based on Record Review and Interview the Licensee Did Not Comply with the Section Cited Above. Today, Licensee Could Not Provide Proof That Water Lead Testing Was Completed by the Cut Off Date of January 1, 2023 as Required. This Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 02/28/2023 (1). The single finding was not critical.

Inspection Visits

Jan 31, 2023 1 Finding ● 1 Important

- **Based on Record Review and Interview the Licensee Did Not Comply with the Section Cited Above. Today, Licensee Could Not Provide Proof That Water Lead Testing Was Completed by the Cut Off Date of January 1, 2023 as Required. This Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 02/28/2023**

WD 1597.16(a)(1) Assembly Bill 2370, Chapter 676, Statutes of 2018 requires all Child Care Centers (CCC) that are located in buildings constructed before January 1, 2010 to test...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.