

ADA GIVENS PRESCHOOL

2900 GREEN STREET
MERCED, CA

3 Inspection Visits Since 2022 · 4 Findings

Most recent inspection: Feb 28, 2025

● 4 Important

Across 3 inspections since 2022, the issues cited most often were Based on LPA Observations, Staff Interviews and Records Review, the Licensee Did Not Comply with the Section Cited Above in That Outlet C Kitchen Sink Located in the Cafeteria Is at ALE of 7.1 Ppb. Which Poses/posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 03/07/2025 (1), Cited rule (1), and Based on LPA Observation of Staff Files. LPA Observed That Two Staff Did Not Have Documentation of Measles and Pertussis as Required by Regulations. This Poses a Potential Health, Safety or Personal Rights Risk to Children in Care. POC Due Date: 02/09/2022 (1). None of the 4 findings were critical.

Inspection Visits

Feb 28, 2025 1 Finding ● 1 Important

- **Based on LPA Observations, Staff Interviews and Records Review, the Licensee Did Not Comply with the Section Cited Above in That Outlet C Kitchen Sink Located in the Cafeteria Is at ALE of 7.1 Ppb. Which Poses/posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 03/07/2025**

WD 101700(b) Written Directives for Lead Testing (b) All licensed Child Care Centers operating in buildings constructed before January 1, 2010, shall test their water for lead...

Feb 16, 2023 1 Finding ● 1 Important

- **Cited rule**

101700.3 1 2 3 4 5 6 7 California Lead Action Level at Child Care Centers (a) California's Action Level for lead in water at Child Care Centers is 5 ppb. (b) Testing results with...

Jan 26, 2022 2 Findings ● 2 Important

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.

- **Based on LPA Observation of Staff Files. LPA Observed That None of the Staff Present During Today's Inspection Had Documentation of a Current CPR Card. One Staff Member Was a Substitute. This Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 02/09/2022**

CCR 101216(f) Personnel Requirements (f) At least one staff member who is trained in pediatric cardiopulmonary resuscitation and pediatric first aid pursuant to Health and Safety...

- **Based on LPA Observation of Staff Files. LPA Observed That Two Staff Did Not Have Documentation of Measles and Pertussis as Required by Regulations. This Poses a Potential Health, Safety or Personal Rights Risk to Children in Care. POC Due Date: 02/09/2022**

HSC 1596.7995(a)(1) General Provisions and Definitions (1) Commencing September 1, 2016, a person shall not be employed or volunteer at a day care center if he or she has not been...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.