

CREATIVE LEARNING CENTER, LLC

815 ALLERTON STREET
REDWOOD CITY, CA

1 Inspection Visit Since 2023 · 1 Finding

Most recent inspection: Oct 12, 2023

● 1 Important

Across 1 inspection since 2023, the issues cited most often were At 10:20AM., Based on Record Review and Interview, LPAs Confirmed Facility's Fixtures Used for Drinking Water, And/ or Food Preparation Have Not Been Tested for Lead Contamination Levels. This Poses a Potential Health and Safety Risk to Children in Care. POC Due Date: 10/23/2023 (1). The single finding was not critical.

Inspection Visits

Oct 12, 2023 1 Finding ● 1 Important

- **At 10:20AM., Based on Record Review and Interview, LPAs Confirmed Facility's Fixtures Used for Drinking Water, And/ or Food Preparation Have Not Been Tested for Lead Contamination Levels. This Poses a Potential Health and Safety Risk to Children in Care. POC Due Date: 10/23/2023**

WD 100700(c)(1) Written Directives for Lead Testing (1) For a license issued on or after July 1, 2022, initial testing results shall be received and posted within 180 days of...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.