

## CENTRAL PRESCHOOL

15783 18TH AVENUE  
LEMOORE, CA

### 2 Inspection Visits Since 2021 · 2 Findings

Most recent inspection: Jan 14, 2025

● 2 Important

Across 2 inspections since 2021, the issues cited most often were This Requirement Was Not Met Evidence By: Based on Record Review and Interview Provided by Licensee Indicating This Facility Has Not Conducted Testing for Lead Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 01/31/2025 (1) and Cited rule (1). None of the 2 findings were critical.

### Inspection Visits

Jan 14, 2025 1 Finding ● 1 Important

- **This Requirement Was Not Met Evidence By: Based on Record Review and Interview Provided by Licensee Indicating This Facility Has Not Conducted Testing for Lead Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 01/31/2025**

HSC 1597.16(a)(1) Lead Testing (1) A licensed child day care center, as defined in Section 1596.76, that is located in a building that was constructed before January 1, 2010,...

Oct 6, 2021 1 Finding ● 1 Important

- **Cited rule**

CCR 101238(a) 1 2 3 4 5 6 7 Buildings and Grounds. (a)The child care center shall be clean, safe, sanitary and in good repair at all times to ensure the safety and well-being of...

#### About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.