

SWEET PEAS PRESCHOOL

1647 VALENCIA STREET
SAN FRANCISCO, CA

3 Inspection Visits Since 2022 · 4 Findings

Most recent inspection: Jan 16, 2025

● 4 Important

Across 3 inspections since 2022, the issues cited most often were At 10:15AM., Based on Record Review, LPA Confirmed Facility's Lead Water Testing for Outlets Used for Food Preparation or Ingestion Was Conducted After the Required Due Date (1/1/2023). This Poses a Potential Health and Safety Risk to Children in Care. POC Due Date: 01/23/2025 (1), At 9:30AM., Based on Interview and Record Review, LPA Confirmed Facility Has Not Conducted Emergency Disaster Drill Within the Last Six Months. This Poses a Potential Health and Safety Risk to Children in Care. POC Due Date: 01/21/2025 (1), and 9:00AM., Based on Observations, LPA Confirmed Opened Wine Bottles and Beer Cans in the Kitchen Sink. This Poses a Potential Health and Safety Risk to Children in Care. POC Due Date: 12/22/2023 (1). None of the 4 findings were critical.

Inspection Visits

Jan 16, 2025 2 Findings ● 2 Important

- **At 9:30AM., Based on Interview and Record Review, LPA Confirmed Facility Has Not Conducted Emergency Disaster Drill Within the Last Six Months. This Poses a Potential Health and Safety Risk to Children in Care. POC Due Date: 01/21/2025**

CCR 101174(d) Disaster and Mass Casualty Plan (d) Disaster drills shall be conducted at least every six months. This requirement is not met as evidenced by:

- **At 10:15AM., Based on Record Review, LPA Confirmed Facility's Lead Water Testing for Outlets Used for Food Preparation or Ingestion Was Conducted After the Required Due Date (1/1/2023). This Poses a Potential Health and Safety Risk to Children in Care. POC Due Date: 01/23/2025**

HSC 1597.16(a)(1) Lead Testing (1) A licensed child day care center, as defined in Section 1596.76, that is located in a building that was constructed before January 1, 2010,...

Dec 21, 2023 1 Finding ● 1 Important

- **9:00AM., Based on Observations, LPA Confirmed Opened Wine Bottles and Beer Cans in the Kitchen Sink. This Poses a Potential Health and Safety Risk to Children in Care. POC Due Date: 12/22/2023**

CCR 101238(g) Disinfectants, cleaning solutions, poisons and other items that could pose a danger if readily available to children shall be stored where inaccessible to children....

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.

Jul 21, 2022 1 Finding ● 1 Important

- **Based on Interview and Record Review, LPA Confirmed Staff Missing Their Updated Mandated Reporter Training Certification (AB1207). This Poses a Potential Health and Safety Risk to Children in Care. POC Due Date: 08/12/2022**

HSC 1596.8662(b)(1) Administration of Child Day Care Licensing (1) On or before March 30, 2018, a person who, on January 1, 2018, is a licensed child day care provider,...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.