

BRIGHT BEGINNINGS LEARNING CENTER

2906 LOMA LINDA DRIVE
BAKERSFIELD, CA

2 Inspection Visits Since 2021 · 3 Findings

Most recent inspection: Feb 18, 2026

● 3 Important

Across 2 inspections since 2021, the issues cited most often were Based on Observation, the Licensee Did Not Comply with the Section Cited Above as LPA Observed the Bathroom in Between Class Rooms # 3 & #4 Had a Toilet with a Broken Seat Cover. LPA Also Observed Carpets, Rugs, and Rubber Floor Tiles with Multiple Stains in Classroom #1 Through #3 Which Poses/posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 03/04/2026 (1), Based on Observation, the Licensee Did Not Comply with the Section Cited Above as Water Fountain Were the Main Source of Water Due to COVID -19 Water Fpuntains Should Not Be in Use, Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 09/30/2021 (1), and Based on Observation,record Review the Licensee Did Not Comply with the Section Cited Above LPA Observed One School Age Child Comingled with Preschool Children, Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 10/15/2021 (1). None of the 3 findings were critical.

Inspection Visits

Feb 18, 2026 1 Finding ● 1 Important

- **Based on Observation, the Licensee Did Not Comply with the Section Cited Above as LPA Observed the Bathroom in Between Class Rooms # 3 & #4 Had a Toilet with a Broken Seat Cover. LPA Also Observed Carpets, Rugs, and Rubber Floor Tiles with Multiple Stains in Classroom #1 Through #3 Which Poses/posed a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 03/04/2026**

CCR 101238(a) Buildings and Grounds (a) The child care center shall be clean, safe, sanitary and in good repair at all times to ensure the safety and well-being of children,...

Sep 29, 2021 2 Findings ● 2 Important

- **Based on Observation,record Review the Licensee Did Not Comply with the Section Cited Above LPA Observed One School Age Child Comingled with Preschool Children, Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 10/15/2021**

CCR 101161(a) Limitations on Capacity and Ambulatory Status (a) A licensee shall not operate a child care center beyond the conditions and limitations specified on the license,...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.

- **Based on Observation, the Licensee Did Not Comply with the Section Cited Above as Water Fountain Were the Main Source of Water Due to COVID -19 Water Fountains Should Not Be in Use, Which Poses a Potential Health, Safety or Personal Rights Risk to Persons in Care. POC Due Date: 09/30/2021**

CCR 101239.2(a) Drinking Water (a) Drinking water from a noncontaminating fixture or container shall be readily available both indoors and in the outdoor activity area. This...

About this report

Childery generates this report from public inspection records published by the California Department of Social Services, Community Care Licensing Division. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the California Department of Social Services, Community Care Licensing Division.